

**ESTIMATION OF PARAMETERS FROM GAUSSIAN-BETA  
HIERARCHICAL MODEL**

A PROJECT REPORT PRESENTED BY


SELVARATNAM SELVAKKADUNGO

to the Board of Study in Statistics & Computer Science of the  
POSTGRADUATE INSTITUTE OF SCIENCE

*in partial fulfillment of the requirement  
for the award of the degree of*

**MASTER OF SCIENCE IN APPLIED STATISTICS**

of the



**UNIVERSITY OF PERADENIYA**

**SRI LANKA**

**2005**

**607444**

## Abstract

### ESTIMATION OF PARAMETERS FROM GAUSSIAN-BETA HIERARCHICAL MODEL

S.Selvakkadunko

Postgraduate Institute of Science

University of Peradeniya

Peradeniya

Sri Lanka

The maximum likelihood (ML) method was proposed for estimating the parameters of the Gaussian-Beta hierarchical model when the variance of the Gaussian distribution is a constant. The likelihood function of the Gaussian-Beta hierarchical model contains more complicated integral part that can not be solved numerically. The Newton-Raphson algorithm with Monte-Carlo methods were used to compute the ML estimates of the parameters of the Beta distribution. The program for the algorithm to estimate parameters was written in S-language. The constant variance of the Gaussian distribution was estimated by using the method of pooled sample variance. The initial values of the estimated parameters of the Beta distribution were obtained by using method of moments and the Fubini's theorem. Also, the best suitable model was selected by comparisons between Monte-Carlo methods for the given situation. The infant mortality data by district from 1989 to 2001 were fitted to the Gaussian-Beta hierarchical model. The data was obtained from the statistical Abstract 2003, Department of Census and Statistics, Sri Lanka. The parameters of the Beta distribution were computed by using the developed methodology and the validity of the Gaussian-Beta model was tested by using the method of log cumulative distribution function. The data was well fitted to the Gaussian-Beta hierarchical model. The infant mortality per 1000 live births of Sri Lanka for the year 2002 was also estimated by using the method of moments and the estimated parameters of the Beta distribution.

The Gaussian-Beta model was predicted year 2002 infant mortality rate with 80% accuracy. The infant mortality rate for year 2001 was predicted with 91.8% accuracy by using the infant mortality rate from 1989 to 2000. Also, the infant mortality rate for year 2000 was predicted with 96.2% accuracy by using the infant mortality rate from 1989 to 1999.